

Applicant : John Christian Hermansen et al.
Serial No. : 10/055,178
Filed : January 25, 2002
Page : 4 of 5

Attorney's Docket No.: 16441-012002

Amendments to the Drawings:

The attached replacement sheets of drawings includes changes to Figs. 1-1 and 3 and replaces the original sheets including Figs. 1-1 and 3.

In Fig. 1-1, reference numeral 114 has been added to designate "the output 114" mentioned in the specification. In Fig. 3, one of the elements originally numbered "308" has been changed to "309." Annotated sheets showing these changes are enclosed.

Attachments following last page of this Amendment:

Replacement Sheet (2 pages)

Annotated Sheet Showing Change(s) (2 pages)

Applicant : John Christian Hermansen et al.
Serial No. : 10/055,178
Filed : January 25, 2002
Page : 5 of 5

Attorney's Docket No.: 16441-012002

REMARKS


The specification has been amended to eliminate use of the same element number for different elements, to correct a minor typographical error, and to reference Fig. 1-1. Figs. 1-1 and 3 have been amended as described earlier.

These changes are not believed to introduce new matter, and entry of this amendment is respectfully requested.

Please apply any charges or credits to deposit account 06-1050.

Respectfully submitted,

Date: APRIL 28, 2005



Brian J. Dorini
Reg. No. 43,594

Fish & Richardson P.C.
1425 K Street, N.W.
11th Floor
Washington, DC 20005-3500
Telephone: (202) 783-5070
Facsimile: (202) 783-2331




FIG. 1-1




FIG.3